


HDCB-1080-312M

2.0 Megapixel 1080P Motorized Varifocal HD-over-Coax Bullet Camera



Features

- 1/2.8" 2.0 Megapixel CMOS
- 25/30 @ 1080P, 25/30/50/60fps @ 720P
- High speed, long distance real-time transmission
- HD and Standard definition switchable
- OSD Menu, control over coaxial cable
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- 2.7~12mm Motorized Varifocal Lens
- Max IR LEDs length 30m, Smart IR
- IP66, DC12V



Specifications

HDCB-1080-312M	
Image Sensor	1/2.8" 2.0 Megapixel CMOS
Resolution	HD-over-Coax
	1984 x 1105
	Analog
	700 TVL
Frame Rate	25/30/50/60fps @ 720P; 25/30fps @ 1080P
Electronic Shutter	1/3s ~ 1/100,000s
Effective Picture (H × V)	1984 x 1105
Video Output	1 × BNC - Analog / HD Switchable (twist wires)
Focal Length	2.7 ~ 12mm
Lens Type	Motorized Varifocal
Min. Illumination Color / B&W	0.005 Lux @ F1.2 (AGC On), 0 Lux (IR On)
Infrared Range	98ft. (Max.) / 30m
Day / Night	Auto (ICR) / B&W / Color
Noise Reduction	3D / 2D
Weatherproof Rating	IP66
Transmission Distance	Over 1,640ft (500m) via 75-3 coaxial cable
Power Supply	12V±10% DC
Working Environment	22°F ~ 140°F (-30°C ~ 60°C), less than 80% RH (no condensation)
Dimensions / Weight	8.4" x 3.2" x 2.8" / Approx. 1.2 lbs