

# HDCD-1080-36 / HDCB-1080-36


2.4 Megapixel 1080P HD-over-Coax Cameras



## Features

- 1/2.8" 2.4 Megapixel CMOS
- 25/30fps @ 1080P 25/30/50/60 fps @ 720P
- High speed, long distance real-time transmission
- HD (High Definition) and SD (Standard Definition) switch
- OSD Menu, Control over Coaxial Cable
- Day/Night (ICR), AWB, AGC, BLC, 3D-DNR
- 3.6mm fixed lens
- Max. IR LEDs length 66ft (20m), Smart IR
- IP66, DC12V

**HDCD-1080-36**

**HDCB-1080-36**


## Specifications

		HDCD-1080-36	HDCB-1080-36
Image Sensor		1/2.8" 2.4 MegaPixel CMOS	
Resolution	HD-over-Coax	1280 x 1080	
	Analog	700 TVL	
Frame Rate		25/30/50/60fps @720P; 25/30fps @1080P	
Electronic Shutter		1/30 ~ 1/100,000s	
Effective Picture (H x V)		1984 x 1225	
Video Output		1 x BNC - HD / Analog Switchable	
Focal Length		3.6mm	
Lens Type		Fixed	
Min. Illumination   Color / B&W		0.01 Lux @ F1.2 (0 Lux IR LED on)	
Infrared Range		66ft. (Max.)	
Day / Night		Auto (ICR) / B&W / Color	
Noise Reduction		2D / 3D	
Weatherproof Rating		IP66	
Transmission Distance		Over 1,640ft (500m) via 75-3 coaxial cable	
Bracket Included		No	
Power Supply		12V±10% DC	
Working Environment		-22°F ~ 140°F (-30°C ~ 60°C), less than 80% RH (no condensation)	
Dimensions / Weight		3.3" x 3.36" / Approx. 0.7 lbs	2.6" x 6.1" / Approx 0.9 lbs