

# LTIP2AB212

2.0 Megapixel 1080P Varifocal IP Armor Ball Camera



## Features

- 2.0 Megapixel High Resolution
- H.264 & JPEG dual-stream encoding
- DWDR, Day/Night(ICR), 3DNR, AWB, AGC, BLC
- Multiple Network Monitoring: Web Viewer, iOS, Android
- 2.8-12mm Fixed Lens
- 131ft IR (40m)
- IP66, External PoE



## Specifications

	LTIP2AB212
Image Sensor	2 Megapixel 1/2.9" Sony CMOS
Resolution	1920 x 1080
Frame Rate	30fps @1080P
Scanning System	Progressive
Electronic Shutter	1/50 ~ 1/10,000s
Focal Length	2.8~12mm
Lens Type / Control	Varifocal / Manual
Min. Illumination   Color / B&W	0.01 Lux @ F1.4 (AGC On), 0 Lux with IR
Infrared Range	131ft / 40m
Day / Night	IR-CUT filter with Auto Switch
Wide Dynamic Range	DWDR
Backlight Compensation	AWB / AGC / BLC
Noise Reduction	3D-DNR
Privacy Masking	Up to 4 areas
Compression	H.264 / JPEG
Bit Rate	128 Kbps - 8 Mbps
Ethernet	1 x RJ45 Ethernet Port (10/100M Ethernet Interface)
Protocol	HTTP, TCP/IP, ICMP, RTSP, RTP, UDP, RTCP, SMTP, DHCP, DNS, PPPoEm, 802.3af Compliant
Compatibility	Supports standard ONVIF
Smart Phone	iPhone, iPad, Android
Weatherproof Rating	IP66
Power Supply	12V±10% DC
Current (802.3af)	w/o PoE: 150mA±15% (IR off), 275mA±15% (IR on) with PoE: 175mA±15% (IR off), 295mA±15% (IR on)
Storage Temperature	-4°~158°F (-20°~70°C)
Operation Temperature	14°~122°F (-10°~50°C)
Dimensions / Weight	5.7" x 3.9" (145mm x 99mm) / Approx. 1.7 lbs