

LTIP2B212

2.0 Megapixel 1080P Varifocal IP Bullet Camera



Features

- 2.0 Megapixel 1080P High Resolution
- 1/2.9" Sony CMOS Chip
- H.264 & MJPEG Triple Streams Encoding
- 2.8-12mm Varifocal Lens
- 164ft IR (50m)
- IP66, External POE



Specifications

LTIP2B212	
Image Sensor	1080P / 2.0 Megapixel 1/2.9" Sony CMOS
Resolution	1920 x 1080
Frame Rate	30fps @1080P
Scanning System	Progressive
Electronic Shutter	1/60s ~ 1/10,000s
Focal Length	2.8~12mm
Lens Type / Control	Varifocal / Manual
Min. Illumination Color / B&W	0.01 Lux @ F1.2 (IR off), 0 Lux with IR
Infrared Range	164ft / 50m
Day / Night	IR-CUT filter with Auto Switch
Wide Dynamic Range	DWDR
Backlight Compensation	AWB / AGC / BLC
Noise Reduction	3D-DNR
Privacy Masking	Up to 4 areas
Compression	H.264 / MJPEG
Bit Rate	128Kbps - 8 Mbps
Ethernet	1 x RJ45 Ethernet Port (10/100M Ethernet Interface)
Protocol	HTTP, TCP/IP, ICMP, RTSP, RTP, UDP, RTCP, SMTP, DHCP, DNS, PPPoE
Compatibility	Supports standard ONVIF
Smart Phone	iPhone, iPad, Android
Weatherproof Rating	IP66
Power Supply	DC12V
Current	w/o PoE: 150mA±15% (IR off), 720mA±15% (IR on) with PoE: 175mA±15% (IR off), 750mA±15% (IR on)
Storage Temperature	-4°~140°F (-20°~60°C)
Operation Temperature	14°~122° F (-10°~ 50° C), 10%~90% RH
Dimensions / Weight	10.3" × 4.6" × 3" (261mm x 118mm x 80mm) / Approx 1.9 lbs